Long-term (2010) Subcommittee Outcome Objective: By 2010, reduce the percentage of unintended pregnancies among Wisconsin residents to 30%.

T4	Outomas				
Inputs	Outputs		Outcomes		
	Activities	Participation/	Short-term	Medium-term	Long-term
		Reach	2002-2004	2005-2007	2008-2010
Staff to develop and	Disseminate the Surgeon General's Call to	All individuals	In Wisconsin, promote a	In Wisconsin, adopt the	By 2010, reduce the
maintain an ongoing	Action to Promote Sexual Health and	residing in Wisconsin	dialogue involving all	national goal: "All	percentage of
website concerning	Responsible Sexual Behavior 2001 and	Family members	people in the State,	pregnancies should be	unintended
best practice methods	other research reports of best practice	,	concerning the national	intended—that is, they	pregnancies among
within Wisconsin's	models concerning sexual health and	Interventions targeted	goal: "All pregnancies	should be consciously and	Wisconsin residents
Department of Health	responsible sexual behavior.	toward the most	should be intended—that is,	clearly desired at the time	to 30%.
and Family Services.		socioeconomically	they should be consciously	of conception."	
F 1: 6 11:	Develop a web page within the Department	vulnerable	and clearly desired at the		
Funding for public	of Health and Family Services' website	communities.	time of conception."	Improve accessibility of	
awareness, program	concerning best practice models with links	Community leaders		developmentally and	
implementation and	to current research reports that address	_	Acknowledge and support	culturally appropriate	
research concerning	Turning Point health priority issues,	Opinion leaders	the roles of parents, school	reproductive health care	
evidence-based and	including healthy sexual behavior.	Health care	personnel, members of faith	across Wisconsin,	
best practice models		providers, private,	based and other community	including the continuum	
through public and	Engage media in development of a local and	public, and	organizations in providing	of services from health	
private grants and third	statewide dialogue concerning sexual health	alternative	sexuality education,	pro-motion and education,	
party reimbursement.	and responsible sexual behavior.	Pharmacists	recognizing that parents are the child's first educator and	disease prevention, and	
I:-1-4:	T	Pharmacists		treatment for reproductive health care services for all	
Legislative support for	Teach consumers skills in critical analysis	School/ higher	that families differ in their		
comprehensive reproductive health	of media portrayals of family and sexual behavior with appropriate consumer	education personnel	ability to discuss sexuality issues.	childbearing individuals in Wisconsin.	
services and	** *	Media	issues.	III WISCONSIII.	
	responses.	Media	Increase knowledge of the	Ensure that reproductive	
comprehensive maternity and perinatal	Promote messages concerning responsible	Legislators	need for reproductive	health services include	
care including needs of	sexual behavior in non-traditional settings,	Justice system	health/perinatal health	adequate counseling	
family members, e.g.,	such as those directed toward programs for	,	education and services.	concerning the feelings,	
adequate funding for	males, including sports and employment	Military personnel	education and services.	concerning the reenings,	
adequate funding for	settings.				
1	Domingo.	I		I	

.

<sup>&</sup>lt;sup>i</sup> Brown SS and Eisenberg L. eds. 1995. *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC. http://www.nas.edu.

ii Blum RW. 2002. Mother's Influence on Teen Sex: Connections that Promote Postponing Sexual Activity. Center for Adolescent Health and Development. University of Minnesota

iii Brown SS and Eisenberg L. eds. 1995. *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC. <a href="http://www.nas.edu">http://www.nas.edu</a>.

Inputs	Outputs		Outcomes		
_	Activities	Participation/	Short-term	Medium-term	Long-term
		Reach	2002-2004	2005-2007	2008-2010
maternity and	Increase programs providing access to	Adolescents in and	Improve knowledge about	attitudes, and motivation	
paternity leaves.	education concerning sexual health and	out of school	effective contraception and	needed for ongoing family	
	responsible sexual behavior that are thorough,		reproductive health among	planning/contraception to	
Staff and volunteer	wide ranging, begin early and continue	Parents/guardians/	men and women of all child	avoid unintended pregnancies.	
time for a Statewide	throughout the lifespan.	trusted adults	-bearing ages including		
Advisory Council to		Health care	balanced, accurate	Ensure curricula for health	
promote and monitor	Improve community based education targeting	educators	information about the risks	professionals includes current	
the role of the	adolescents out of school.	educators	and benefits of all	research regarding	
greater community		Public health	contraceptive	developmental and	
in promotion of	Increase numbers of accessible parent	nurses	methods and the need for	reproductive health throughout	
responsible healthy	education programs in schools, community		early and ongoing prenatal	the lifespan and provide	
sexual behavior.	based organizations, churches and other faith-	Juvenile justice	care if a pregnancy occurs.	ongoing continuing education	
	based organizations, and other groups that	system		for practicing health	
Health professionals	promote integration of sexual development	B 111 1 11	Provide adequate health	professionals.	
to promote public	and reproductive health issues into discussions	Public health	education and counseling		
awareness of sexual	of normal growth and development.	leaders	concerning the feelings,	Assure awareness of and	
health and		Legislators	attitudes, and motivation	access to all types of	
responsible sexual	Increase the number of schools implementing	Legislators	needed for ongoing family	contraceptive methods to	
behavior and to	curricula regarding family health education.	Community leaders	planning/contraception to avoid unintended	prevent unintended pregnancy for those who are sexually	
improve capacity for reproductive health	Develop community awareness media	•	pregnancies in both	active, especially those more	
care services.	campaign related to need for family based	Opinion leaders	partners. This education	effective methods that require	
care services.	discussions of marriage, relationships, and	37 4	must be develop-mentally	contact with a health	
Non-traditional	reproductive health and impact of unintended	Youth group	and culturally appropriate.	professional.	
partners for	pregnancies on our communities.	leaders	and culturally appropriate.	professionar.	
expansion of health	pregnancies on our communities.	Teen/peer leaders	Promote equity of access to	Increase the proportion of all	
education and	Implement action plan to delay sexual activity	and educators	information concerning	health insurance policies that	
reproductive health	among Wisconsin teens as described in High		sexual health and	cover contraceptive services	
services.	Risk Sexual Behavior - Objective 1 Delay	Media	responsible sexual behavior	and supplies, including male	
	Sexual Activity in Teens.		in school based human	and female sterilization, with	
Programs for	•		growth and development	no co-payments or other cost	
comprehensive	Link reproductive health services to family		curricula.	sharing requirements, as for	
adolescent health	resource centers and other family strength-			other selected preventive	
services, especially	ening programs.			health services.	
those addressing					
males.					

Inputs	Outputs		Outcomes		
_	Activities	Participation/ Reach	Short-term 2002-2004	Medium-term 2005-2007	Long-term 2008-2010
Coalitions and	Target interventions to the most vulnerable		Ensure the availability of	Continue implementation of	
partnerships to link	age groups and communities where members		comprehensive human	Brighter Futures, Wisconsin's	
re-productive health	have less access to health education and		sexuality programs that	Plan to Prevent Teen	
services, especially	services and are, thus, likely to suffer most		include information about	Pregnancy.iv	
as they relate to	from sexual health problems.		healthy relationships,		
adolescents and			increasing both awareness	Assure adequate funding of	
young adults.	Target funding to programs with proven		of the essential roles of	case management and other	
	effectiveness and are consistent with best		respect, caring, and consent	best practice models designed	
	practice models.		and the prevention of sexual	to reduce teen pregnancy rates	
			abuse and coercion.	and rates of unintended	
	Offer innovative, confidential reproductive			pregnancy.	
	health services that address hours of		Educate the public about the		
	employment, childcare, transportation,		major social and public	Assure assessment of sexual	
	financial, cultural and other barriers to care		health burdens of	health and development is	
	that promote universal access.		unintended pregnancy in all	incorporated into primary care	
			age groups of childbearing	and other health visits.	
	Increase numbers of school based health		families.		
	services.			Implement Wisconsin's	
				Medicaid Family Planning	
	Expand contraceptive technology options for			Waiver and other	
	men and women of childbearing age through			reimbursement strategies to	
	research into new methods and advocacy for			promote universal access to	
	consistent funding.			family planning services	
				among childbearing women.	
	Develop and implement preconceptional				
	services through health departments and other				
	primary care services.				
	11 .: 6				
	Identify pregnancies in first trimester and refer				
	to appropriate health care providers.				
	Expand prenatal care coordination to all				
	childbearing women who choose the services.				

iv Wisconsin Department of Health and Family Services. Adolescent Pregnancy Prevention Committee. Brighter Futures. Wisconsin's Plan to Reduce Teen Pregnancy.

Inputs	Outputs			Outcomes	
	Activities	Participation/ Reach	Short-term 2002-2004	Medium-term 2005-2007	Long-term 2008-2010
	Provide early identification of pregnancy services for adolescents in and out of school and other women at risk for delayed prenatal care.				
	Provide primary care provider education and capacity building regarding need for confidential, comprehensive reproductive health services that are developmentally and culturally appropriate.				
	Ensure public health surveillance, research and evaluation regarding unintended pregnancies, births and outcomes, including numbers of abortions and include both populations of both men and women in research as much as possible.				
	Develop administrative rules and implement Medicaid Family Planning Waiver.				
	Develop and implement preconceptional services through health departments and other primary care services.				
	Advocate for expanded contraceptive technology options for men and women of childbearing age.				

# **Long-term (2010) Subcommittee Outcome Objective:**

By 2010, reduce the percentage of unintended pregnancies among Wisconsin residents to 30%.

Wisconsin Baseline	Wisconsin Sources and Year
39% of pregnancies in Wisconsin are unintended.	Wisconsin Department of Health and Family
	Services. Bureau of Health Information (1996.)
	Prenatal Care Survey(1)

Federal/National Baseline	Federal/National Sources and Year
49.2% of pregnancies in the US are unintended.	Henshaw, S.K. (1998).(2)
30.8% of births in the US are unintended.	

	Related USDHHS Healthy People 2010 Objectives			
Chapter	Goal	Objective Number	Objective Statement	
Chapter 1 – Access to Quality Health Services	Improve access to comprehensive, high quality health care services.	1.2	(Developmental) Increase the proportion of insured persons with coverage for clinical preventive services.	
		1.3	(Developmental) Increase the proportion of persons appropriately counseled about health behaviors.	
		1.4	Increase the proportion of persons who have a specific source of ongoing care.	
		1.5	Increase the proportion of persons with a usual primary care provider.	
		1.6	Reduce the proportion of families that experience difficulties or delays in obtaining health care or do not receive needed care for one or more family members.	
		1.7	(Developmental) Increase the proportion of schools of medicine, schools of nursing, and other health professional training schools whose basic curriculum for health care providers includes the core competencies in health promotion and disease prevention.	
		1.8	In the health professions, allied and associated health profession fields, and the nursing field, increase the proportion of all degrees awarded to members of underrepresented racial and ethnic groups.	

Template – Health Priority: High Risk Sexual Behavior -

Objective 2

	Related USDHHS He	althy People	2010 Objectives
Chapter	Goal	Objective	Objective Statement
		Number	
Chapter 7 – Educational and Community-Based Programs	Increase the quality, availability, and effectiveness of educational and community-based programs designed to prevent disease and improve health and quality of life.	7.2	Increase the proportion of middle, junior high, and senior high schools that provide comprehensive school health education to prevent health problems in the following areas: unintentional injury; violence; suicide; tobacco use and addiction; alcohol or other drug use; unintended pregnancy, HIV/AIDS, and STD infection; unhealthy dietary patterns; inadequate physical activity; and environmental health.
		7.3	Increase the proportion of college and university students who receive information from their institution on each of the six priority health-risk behavior areas.
		7.4	Increase the proportion of the Nation's elementary, middle, junior high, and senior high schools that have a nurse-to-student ratio of at least 1:750.
		7.5	Increase the proportion of worksites that offer a comprehensive employee health promotion program to their employees.
		7.6	Increase the proportion of employees who participate in employer-sponsored health promotion activities.
		7.7	(Developmental) Increase the proportion of health care organizations that provide patient and family education.
		7.8	(Developmental) Increase the proportion of patients who report that they are satisfied with the patient education they receive from their health care organization.
		7.9	(Developmental) Increase the proportion of hospitals and managed care organizations that provide community disease prevention and health promotion activities that address the priority health needs identified by their community.

	Related USDHHS He	althy People	2010 Objectives
Chapter	Goal	Objective	Objective Statement
		Number	
Chapter 7 – Educational and Community-Based Programs (continued)		7.10	(Developmental) Increase the proportion of Tribal and local health service areas or jurisdictions that have established a community health promotion program that addresses multiple <i>Healthy People</i> 2010 focus areas.
		7.12	Increase the proportion of older adults who have participated during the preceding year in at least one organized health promotion activity.
Chapter 9 – Family Planning	Improve pregnancy planning and spacing and prevent unintended pregnancy.	9.1	Increase the proportion of pregnancies that are intended.
		9.2	Reduce the proportion of births occurring within 24 months of a previous birth.
		9.3	Increase the proportion of females at risk of unintended pregnancy (and their partners) who use contraception.
		9.4	Reduce the proportion of females experiencing pregnancy despite use of a reversible contraceptive method.
		9.5	(Developmental) Increase the proportion of health care providers who provide emergency contraception.
		9.6	(Developmental) Increase male involvement in pregnancy prevention and family planning efforts.
		9.7	Reduce pregnancies among adolescent females.
		9.8	Increase the proportion of adolescents who have never engaged in sexual intercourse before age 15 years.
		9.9	Increase the proportion of adolescents who have never engaged in sexual intercourse.
		9.10	Increase the proportion of sexually active, unmarried adolescents aged 15 to 17 years who use contraception that both effectively prevents pregnancy and provides barrier protection against disease.

	Related USDHHS Healthy People 2010 Objectives				
Chapter	Goal	Objective	Objective Statement		
		Number			
Chapter 9 - Family		9.11	Increase the proportion of young adults		
Planning (continued)			who have received formal instruction		
			before turning age 18 years on reproduc-		
			tive health issues, including all of the		
			following topics: birth control methods,		
			safer sex to prevent HIV, prevention of		
			sexually transmitted diseases, and		
			abstinence.		
		9.13	(Developmental) Increase the proportion		
			of health insurance policies that cover		
Cl . 11 II 1/1	TT ' '	111	contraceptive supplies and services.		
Chapter 11 – Health	Use communication	11.1	Increase the proportion of households		
Communication	strategies to improve health.		with access to the Internet at home.		
		11.2	(Developmental) Improve the health		
			literacy of persons with inadequate or		
			marginal literacy skills.		
		11.3	(Developmental) Increase the proportion		
			of health communication activities that		
			include research and evaluation.		
		11.4	(Developmental) Increase the proportion		
			of health-related World Wide Web sites		
			that disclose information that can be used		
			to assess the quality of the site.		
		11.5	(Developmental) Increase the number of		
			centers for excellence that seek to		
			advance the research and practice of		
	<u> </u>		health communication.		
		11.6	(Developmental) Increase the proportion		
			of persons who report that their health		
			care providers have satisfactory		
			communication skills.		

Definitions (3, 4)			
Term	Definition		
Unintended or	An unplanned birth or abortion (including those mistimed and unwanted)		
unpredicted pregnancy			
Intended pregnancy	A pregnancy that occurred in a woman who had never used or had stopped		
	using birth control because she wanted to become pregnant.		
Mistimed pregnancy	A pregnancy that was wanted, but occurred sooner than desired.		
Unwanted pregnancy	A pregnancy that occurred while a woman was using contraception and had		
	not wanted to have another baby.		

#### Rationale:

The outcomes of an unintended pregnancy can be positive, resulting in the acceptance of the pregnancy and infant by all of the family members. Yet unintended pregnancies may cause economic, social, and health concerns for many others.(5) Unintended pregnancy is not only medically costly, it is also socially costly in terms of out-of-wedlock births, reduced educational attainment and employment opportunity, increased welfare dependency, and later child abuse and neglect. Pregnancies that are unpredicted or unintended are a common occurrence among women of all childbearing ages, affecting the lives of families throughout Wisconsin. In Wisconsin, almost 40% of pregnancies are unintended, and nationally, almost half of all pregnancies.(6) The goal in Wisconsin is to begin a dialogue concerning the national goal that all children be both intended and wanted.

As discussed in the Surgeon General's *Call to Action To Promote Sexual Health and Responsible Sexual Behavior*, sexuality is a fundamental component of human life and is important throughout the life-span, not just during the reproductive years.(7) To promote responsible sexual behavior among people in Wisconsin, there is a need to promote and maintain a dialogue within the state concerning sexuality that is honest, mature, and respectful and contributes to the national goals. The following information describes the scope of this issue in the Wisconsin and the nation. In 2000, births to women in Wisconsin included:

Number	Births by Age of Mother
99	Births to teens less than 15 years old
2,225	Births to teens 15-17 years old
4,753	Births to teens 18-19 years old
15,606	Births to women aged 20-24
19,594	Births to women aged 25-29
17,692	Births to women aged 30-34
7,776	Births to women aged 35-39
1,463	Births to women aged 40-44
76	Births to women aged 45 or older

Source (8)

From 1990 to 2000, the percent of births to women in their twenties decreased, while the percent of births to women in their thirties and older increased. The increase in births for women aged 35 years and older between 1990 and 2000 was 57%. While the number of births to teens has decreased over that period, the proportion of teen births to total Wisconsin births remained the same.(9)

The 1996 Prenatal Care Survey presents the latest information concerning the number of women who had unpredicted or unintended pregnancies in Wisconsin. This is a survey of 4,700 women who gave birth in 1996. Women were asked, "At the time when you became pregnant, were you planning to become pregnant." The responses to this question were used to construct Table 1 along with the number of births by age in 1996. Because the information on an unplanned pregnancy was gathered from women who actually gave birth (and does not include those pregnancies that were terminated) this information was used to estimate the number of unintended births that may have occurred that year. According to those estimates, 39% of all births and 88% of births among those under18 years were unintended. These rates are consistent with those reported in 1990 and vary by age, economic status, and racial/ethnic group. See Table 1.

Table 1. Estimated unintended births in Wisconsin by age and ethnic group, 1996.(10)

	Number of	Percent Unintended	Number Unintended Births Based on Prenatal Care
Age Groups	Total Births*	Births**	Survey Estimates
Under 18 years of age	2,652	88%	2,334
18-19	4,454	80%	3,563
20-24	14,345	57%	8,177
25-29	20,308	28%	5,686
30-34	17,274	26%	4,491
35 and older	8,114	37%	3,002
All Births	67,150	39%	26,189
Racial Ethnic Groups			
Whites	54,915	35%	19,220
Blacks	6,380	78%	4,976
American Indians	812	62%	503
Hispanics	3,138	54%	1,695
Hmong/Laotian	1,031	49%	505
Other racial/ethnic groups	855	44%	376
Unreported	19	-	-

<sup>\*</sup> Source data: Wisconsin Births and Infant Deaths, 1996.

There is a relationship between the availability of resources and pregnancy intendedness. In 1996, births to mothers with Medical Assistance (whose incomes would be considered poor or near poor) were most likely to be unplanned (73%). Births to women without any form of insurance (self-pay) were also more likely than other births to be unplanned (54%). These findings are also consistent with those reported in 1990.(11)

Although increased rates of unintended pregnancies are associated with younger maternal age, single marital status, lower education, lower income, and higher parity, rates of unintended pregnancies occur in all segments of childbearing women. In a study of women in a commercial managed care population, almost one third of pregnancies were unintended.(12) In this study, the majority of the women were married, educated, and had incomes over \$40,000 per year. Sixty-four percent of these women who had an unintended pregnancy were using less effective forms of birth control such as condoms and diaphragms.(13)

A planned pregnancy does not only include intending to become pregnant and stopping contraception. In a recent study, "women applied the term planned if they intended to become pregnant, stopped contraception, they perceived their partners were in agreement, and they had reached the right time in their lives.(14) Regardless of socioeconomic background, the maternal partner's attitude about pregnancy and contraceptive use is very influential in the mother's decision-making and attitudes about the pregnancy.(15) (16)

Unintended pregnancies have been associated with poorer prenatal care, lower birth weight infants, fewer breastfed infants, domestic violence, and infant death(17) (18) It may also be linked to other

Data regarding age was unreported for three births.

<sup>\*\*</sup> Wisconsin Prenatal Care Survey (1996) conducted in 1996.

prenatal behaviors such as smoking and early recognition of the pregnancy.(19) (20) Unintended pregnancy currently leads to 1.5 million abortions annually in the United States (one abortion to every three births).(21) In Wisconsin, women in the age group 20-24 accounted for the largest proportion (35%) of reported induced abortions in 2001. Those aged 18-19 obtained 12% of the reported induced abortions and those aged 15-17 obtained 7%. Eleven percent were for women 35 years of age or older.(22)

In its health agenda for the nation, the U.S. Department of Health and Human Service urged that the proportion of pregnancies that are unintended be reduced to 30% by the year 2000.(23) As we have not yet achieved that target nationally, it remains the same objective for 2010.(24) "Achieving this goal would mean in absolute numbers, that there would be more than 200,000 fewer births each year that were unwanted at the time of conception, and about 800,000 fewer abortions annually as well."

The pregnancy care cost for one woman who does not intend to be pregnant, yet is sexually active and uses no contraception, is estimated at about \$3,200 annually in a managed care setting.(25) Estimates of the overall cost to U.S. taxpayers for teenage childbearing range between \$7 billion and \$15 billion a year, mainly attributed to higher public assistance costs, foregone tax revenues resulting from changes in productivity of the teen parents, increased child welfare, and higher criminal justice costs.(26) (27) More research is needed regarding the actual costs to families in their quality of life.

Although between 1987 and 1994, the proportion of pregnancies that were unintended declined in the United States from 57 to 49%(2), other industrialized nations report fewer unintended pregnancies(3), suggesting that the number of unintended pregnancies can be reduced further. Family planning efforts must be comprehensive, including information about contraception and healthy relationships.(28) Family planning services provide opportunities for individuals to receive medical advice and assistance in controlling if and when they become pregnant, and for health providers to offer health education and related medical care.

**Outcomes:** (These outcomes are directed toward all those of childbearing ages.)

#### Short-term Outcome Objectives (2002-2004): Public Awareness and Education

- In Wisconsin, promote a dialogue involving all people in the State, concerning the national goal: "All pregnancies should be intended—that is, they should be consciously and clearly desired at the time of conception." (29)
- Acknowledge and support the roles of parents,(30) school personnel, members of faith based and other community organizations in providing sexuality education, recognizing that parents are the child's first educator and that families differ in their ability to discuss sexuality issues.
- Increase knowledge of the need for reproductive health/perinatal health education and services.
- Improve knowledge about effective contraception and reproductive health among men and women of all childbearing ages including balanced, accurate information about the risks and benefits of all contraceptive methods and the need for early and ongoing prenatal care if a pregnancy occurs.
- Provide adequate health education and counseling concerning the feelings, attitudes, and motivation needed for ongoing family planning/contraception to avoid unintended pregnancies in both partners. This education must be developmentally and culturally appropriate.
- Promote equity of access to information concerning sexual health and responsible sexual behavior in school based human growth and development curricula.

Template – Health Priority: High Risk Sexual Behavior - 7 Objective 2

- Ensure the availability of comprehensive human sexuality programs that include information about healthy relationships, increasing both awareness of the essential roles of respect, caring, and consent and the prevention of sexual abuse and coercion.
- Educate the public about the major social and public health burdens of unintended pregnancy in all age groups of childbearing families.

### Medium-term Outcome Objective (2005-2007): Access to Reproductive Health Services

- In Wisconsin, adopt the national goal: "All pregnancies should be intended—that is, they should be consciously and clearly desired at the time of conception." (31)
- Improve accessibility of developmentally and culturally appropriate reproductive health care across Wisconsin, including the continuum of services from health promotion and education, disease prevention, and treatment for reproductive health care services for all childbearing individuals in Wisconsin.
- Ensure that reproductive health services include adequate counseling concerning the feelings, attitudes, and motivation needed for ongoing family planning/contraception to avoid unintended pregnancies.
- Ensure curricula for health professionals includes current research regarding developmental and reproductive health throughout the lifespan and provide ongoing continuing education for practicing health professionals.
- Assure awareness of and access to all types of contraceptive methods to prevent unintended pregnancy for those who are sexually active, especially those more effective methods that require contact with a health professional.
- Increase the proportion of all health insurance policies that cover contraceptive services and supplies, including male and female sterilization, with no co-payments or other cost sharing requirements, as for other selected preventive health services.
- Continue implementation of Brighter Futures, Wisconsin's Plan to Prevent Teen Pregnancy.(32)
- Assure adequate funding of case management and other best practice models designed to reduce teen pregnancy rates and rates of unintended pregnancy.
- Assure assessment of sexual health and development is incorporated into primary care and other health visits.
- Implement Wisconsin's Medicaid Family Planning Waiver and other reimbursement strategies to promote universal access to family planning services among childbearing women.

**Inputs:** (What we invest – staff, volunteers, time, money, technology, equipment, etc.)

- Staff to develop and maintain an ongoing website concerning best practice methods within Wisconsin's Department of Health and Family Services.
- Funding for public awareness, program implementation and research concerning evidence based and best practice models through public and private grants and third party reimbursement.
- Legislative support for comprehensive reproductive health services and comprehensive maternity and perinatal care including needs of family members, e.g., adequate funding for maternity and paternity leaves.
- Staff and volunteer time for a Statewide Advisory Council to promote and monitor the role of the greater community in promotion of responsible healthy sexual behavior.
- Health professionals to promote public awareness of sexual health and responsible sexual behavior and to improve capacity for reproductive health care services.

- Nontraditional partners for expansion of health education and reproductive health services
- Programs for comprehensive adolescent health services, especially those addressing males.
- Coalitions and partnerships to link reproductive health services, especially as they relate to adolescents and young adults.

**Outputs:** (What we do – workshops, meetings, product development, training. Who we reach – community residents, agencies, organizations, elected officials, policy leaders, etc.)

These apply to both improving public awareness and improving access to reproductive health services.

- Disseminate the Surgeon General's Call to Action to Promote Sexual Health and Responsible Sexual Behavior 2001 and other research reports of best practice models concerning sexual health and responsible sexual behavior.
- Develop a web page within the DHFS website concerning best practice models with links to current research reports that address Turning Point health priority issues, including healthy sexual behavior.
- Engage media in development of a local and statewide dialogue concerning sexual health and responsible sexual behavior.
- Teach consumers skills in critical analysis of media portrayals of family and sexual behavior with appropriate consumer responses.
- Promote messages concerning responsible sexual behavior in nontraditional settings, such as those directed toward programs for males, including sports and employment settings.
- Increase programs providing access to education concerning sexual health and responsible sexual behavior that are thorough, wide ranging, begin early and continue throughout the lifespan.
- Improve community based education targeting adolescents out of school.
- Increase numbers of accessible parent education programs in schools, community-based organizations, churches and other faith-based organizations, and other groups that promote integration of sexual development and reproductive health issues into discussions of normal growth and development.
- Increase the number of schools implementing curricula regarding family health education.
- Develop community awareness media campaign related to need for family based discussions of marriage, relationships, and reproductive health and impact of unintended pregnancies on our communities.
- Implement action plan to delay sexual activity among Wisconsin teens as described in Health Priority: High Risk Sexual Behavior Objective 1: Adolescent Sexual Activity.
- Link reproductive health services to family resource centers and other family strengthening programs.
- Target interventions to the most vulnerable age groups and communities where members have less access to health education and services and are, thus, likely to suffer most from sexual health problems.
- Target funding to programs with proven effectiveness and are consistent with best practice models.
- Offer innovative, confidential reproductive health services that address hours of employment, child care, transportation, financial, cultural and other barriers to care that promote universal access

- Increase numbers of school-based health services.
- Expand contraceptive technology options for men and women of childbearing age through research into new methods and advocacy for consistent funding.
- Develop and implement preconceptional services through health departments and other primary care services.
- Identify pregnancies in first trimester and refer to appropriate health care providers.
- Expand prenatal care coordination to all childbearing women who choose the services.
- Provide early identification of pregnancy services for adolescents in and out of school and other women at risk for delayed prenatal care.
- Provide primary care provider education and capacity building regarding need for confidential, comprehensive reproductive health services that are developmentally and culturally appropriate.
- Ensure public health surveillance, research and evaluation regarding unintended pregnancies, births and outcomes, including numbers of abortions and include both populations of both men and women in research as much as possible.
- Develop administrative rules and implement Medicaid Family Planning Waiver.
- Develop and implement preconceptional services through health departments and other primary care services.
- Advocate for expanded contraceptive technology options for men and women of childbearing age.

#### Participation/Reach:

This objective is intended to reach all residents of Wisconsin, targeting most interventions to the most socio-economically vulnerable communities. Participants include all family members, including adolescents in and out of school, parent, guardians, trusted adults, community leaders; opinion leaders; legislators; private, not for profit, and alternative health care providers; pharmacists; the media; and personnel from schools and higher education; correctional institution staff and inmates; public health practitioners and leaders, and the military.

#### **Evaluation and Measurement:**

Benchmarks will include:

- Reduction in the numbers of reported unintended pregnancies and births in all age categories, abortions, teen pregnancies;
- Increased numbers of evidence-based programs addressing public awareness and services to improve healthy sexual behaviors;
- Increased numbers of certified family planning providers;
- Continued use of prenatal care survey with improved questions that address partner attitudes and behaviors regarding pregnancy intendedness. Use of Prenatal Care Coordination assessments to identify numbers of intended pregnancies in the Medicaid population.
- Level of insurance coverage among Wisconsin third-party payers for reproductive and perinatal health services.

Research indicates (33) (34) (35) (36) that reducing rates of unintended pregnancies will impact improvements in perinatal outcomes. Tracking of these outcomes include infant mortality, low birth weight, improved utilization of prenatal care, rates of breastfeeding, and reductions in maternal risk behaviors such as smoking.

Template – Health Priority: High Risk Sexual Behavior - 10 Objective 2

### Crosswalk to Other Health and System Priorities in Healthiest Wisconsin 2010

Strengthening public health system priorities will have an impact on reducing high risk sexual behaviors in the following ways:

Integrated Electronic Data and Information System: The benchmarks for this set of outcome objectives require continued tracking of perinatal morbidity and mortality data including number of pregnancies, births, abortions, and perinatal outcomes. Additional data is needed from the periodic implementation of Wisconsin's Prenatal Care Survey; collection of information from Prenatal Care Coordination assessments; tracking the capacity of reproductive health providers; insurance coverage for reproductive and perinatal health services; and the number of school districts implementing comprehensive human growth, and development curricula and other best practice programs that reduce high risk sexual behaviors.

Community Health Improvement Processes and Plans: Incorporate local data regarding high risk sexual behaviors into local public health community assessments. Advocate for data that are specific to local communities that identify the level of high risk sexual behaviors.

Coordination of State and Local Public Health System Partnerships: Reductions in unintended pregnancies will only occur if broad partnerships are developed in which individuals and groups find common ground in the promotion of a statewide goal "All Wisconsin pregnancies are intended." Multiple health risks are better addressed and resources better allocated through development of public health partnerships and the coordination of needed services. Partners include all those identified in the inputs and reach above.

*Sufficient, Competent Workforce*: A workforce educated to address the specific concerns related to high risk sexual behavior, including cultural and developmental issues, is basic to improvement of this health priority.

*Equitable, Adequate and Stable Financing*: Focus sustained funding on evidence-based, best practice models of care to promote equitable reproductive health services to all Wisconsin residents. Provision of reproductive and perinatal health care services on a consistent basis is necessary for a healthier Wisconsin.

Improvements in other health priorities will have an impact on high risk sexual behaviors. This priority can be linked with several other health priorities. Emotional health is needed for responsible sexual behavior. For this reason, this health priority can be linked to "Intentional and non-intentional injuries and violence"; "Mental Health and Mental Disorders"; "Tobacco Use and Exposure"; and "Alcohol & Other Substance Abuse and Addiction." Adolescents are particularly vulnerable to unintended pregnancy when engaging in risk taking behaviors.

Risking an unintended pregnancy places an individual at risk for sexually transmitted infections. For this reason, this priority can also be linked to "Existing, Emerging, and Re-emerging Communicable Diseases." The Surgeon General recommended, "...eliminating health disparities in sexual health that arise from social and economic disadvantage."(37) For this reason, High risk Sexual Behavior can also be linked to both "Social and Economic Factors that Influence Health" and "Access to Primary and Preventive Health Services."

#### Significant Linkages to Wisconsin's 12 Essential Public Health Services

Monitor health status to identify community health problems: There is a need for increased assessment of the status of pregnancy among Wisconsin women regarding pregnancy plans, abortion rates and other outcomes especially as these relate to changes in policy, such as the implementation of the Medicaid Family Planning Waiver in early 2003.

Educate the public about current and emerging health issues: There is much research about the improved health outcomes that occur when health education efforts are directed toward promotion of healthy sexual behavior and sexual development. Health education efforts must be continuous and occur across the lifespan to ensure that individuals have accurate information for their own improved health. Fewer unpredicted/unintended pregnancies will occur when partners are aware of the health risks of too frequent childbearing and effective means of contraception.

Create policies and plans that support individual and community health efforts: Local policies and plans can greatly impact improved sexual health and behavior. Comprehensive, age appropriate human growth and development programs that occur in schools, state efforts to reduce teen pregnancy rates through funded programs, and implementation of the Medicaid Family Planning Waiver are examples of community health efforts that will promote healthy sexual behavior and attitudes and reduce rates of unintended pregnancies.

Link people to needed health services: Reproductive health services are often part of a fragmented system of health care delivery. Improved sexual health will occur when services are coordinated and barriers such as transportation, child care, and lack of economic resources including health insurance are addressed.

Assure a diverse, adequate, and competent workforce to support the public health system: Improved sexual health demands health professionals who are knowledgeable and comfortable with the subject. Health professionals need specific information about sexual development throughout the lifespan, strategies for health promotion/disease prevention, and cultural competency with a particular emphasis on the population they will be serving.

Evaluate effectiveness, accessibility, and quality of personal and population-based health services: The impact of various initiatives and programs, i.e., faith-based, abstinence, expanded access to reproductive health services through Medicaid, all require an evaluation of their impact to support sustaining programs with proven effectiveness, accessibility and quality.

Conduct research to seek new insights and innovative solutions to health problems: There is a need to disseminate information about evidence-based interventions that have been found effective in reducing the number of unintended pregnancies. Research is needed into strategies that best meet the needs of populations more vulnerable to reproductive health problems including unintended pregnancies, the roles of partners in decision making and improved contraceptive methods for both men and women.

Assure access to primary health care for all and foster the understanding and promotion of social and economic conditions that support good health: There is a clear relationship between income, educational level and pregnancy intendedness. Improved economic status will help improve access to primary reproductive health care. Access to confidential reproductive health services is essential to reaching younger, single, more vulnerable women who may be at risk for health concerns that may include poorer prenatal health care, later abortions, or domestic abuse.

Template – Health Priority: High Risk Sexual Behavior - 12

### **Connection to Wisconsin's Three Overarching Goals**

The Surgeon General's Call to Action At-A-Glance: Vision for the Future (2001) described links between national and state goals for health that apply to this objective to reduce unintended pregnancies. Many of the recommendations below are included in this plan.

Protect and Promote Health for All: To achieve this goal, we must improve access to sexual health and reproductive health care services for all persons in all communities. This means providing adequate health care coverage for all reproductive health services. We must also provide adequate training regarding sexual health to all professionals who deal with sexual and reproductive health issues in their work. For those working with adolescents, a focus must be on developmental issues as well. All professionals must be culturally competent. These professionals must be encouraged to implement this training and every effort must be made to ensure that the professionals themselves are reflective of the populations they serve.

Eliminate Health Disparities: To achieve this goal, we must eliminate disparities in sexual health status that arise from social and economic disadvantage, diminished access to information and health care services. We must target interventions to the most socio-economically vulnerable communities where community members have less access to health education and services and are likely to suffer most from sexual health problems. There is a tremendous need to address reproductive and perinatal health disparities in Wisconsin.

Transform Wisconsin's Public Health System: To achieve this goal, we must begin a dialogue in Wisconsin and join a national dialogue on sexual health and responsible sexual behavior that is honest, mature, and respectful and has the ultimate goal of developing a national strategy that recognizes the need for common ground. We must all share in the in the responsibility for initiating this dialogue, working at every level of society to promote sexual health and responsible sexual behavior. Encourage the implementation of health and social interventions to improve sexual health that have been adequately evaluated and shown to be effective. Adopting a goal of "All Wisconsin pregnancies are intended" is a key component of a transformed health system in the state.

### **Key Interventions and/or Strategies Planned:**

Key interventions for this objective include:

- Promoting awareness of the roles of individuals, families, and communities in promoting and protecting sexual health and responsible sexual behavior.
- Assuring access to comprehensive reproductive and perinatal health services for all Wisconsin residents.
- Building a workforce with developmental and cultural expertise as well as that of reproductive and perinatal services.
- Assuring access to "Best Practice" models for reducing unintended pregnancies, such as case management programs for pregnant and parenting teenagers.

#### **References:**

- (1) Wisconsin Department of Health and Human Services, Division of Health Care Financing, Bureau of Health Information (1999). *The 1996 Prenatal Care Survey Report*.
- (2) Henshaw, Stanley K. (1998). Unintended pregnancy in the United States. *Family Planning Perspectives*, 30(1):24-29 and 46.

- (3) Barrett G. and Wellings K. (2002). What is a planned pregnancy? Empirical data from a British study. *Social Science and Medicine* 55(4):545-557.
- (4) Klerman LV. (2000). The intendedness of pregnancy: A concept in transition. *Maternal and Child Health Journal* 4(3):155-162.
- (5) Coleman E., Hyde, JS, and Ross, MW. Eds. *The Surgeon General's Call to Action to Promote Sexual Health and Responsible Sexual Behavior*, 2001.
- (6) Coleman E., Hyde, JS, and Ross, MW. Eds. *The Surgeon General's Call to Action to Promote Sexual Health and Responsible Sexual Behavior*, 2001.
- (7) Coleman E., Hyde, JS, and Ross, MW. Eds. *The Surgeon General's Call to Action to Promote Sexual Health and Responsible Sexual Behavior*, 2001.
- (8) Wisconsin Department of Health and Human Services, Division of Health, Bureau of Health Information (2001). *Wisconsin Births and Infant Deaths*, 2000.
- (9) Wisconsin Department of Health and Human Services, Division of Health, Bureau of Health Information (2001). *Wisconsin Births and Deaths*, 2000.
- (10) Wisconsin Department of Health and Human Services, Division of Health Care Financing, Center for Health Statistics (1997). *Wisconsin Births and Infant Deaths*, 1996.
- (11) Wisconsin Department of Health and Human Services, Division of Health Care Financing, Bureau of Health Information (1999). *The 1996 Prenatal Care Survey Report*.
- (12) Green DC, Gazmariarian, JA, Mahoney LD, and Davis NA. (2002). Unintended pregnancy in a commercially insured population. *Maternal and Child Health Journal* 6(3):181-187.
- (13) Green DC, Gazmariarian, JA, Mahoney LD, and Davis NA. (2002). Unintended pregnancy in a commercially insured population. *Maternal and Child Health Journal* 6(3):181-187.
- (14) Barrett G. and Wellings K. (2002). What is a 'planned' pregnancy? Empirical data from a British study. *Social Science and Medicine* 55(4):545-557.
- (15) Sable, et al., Kost, et al., Ibid.
- (16) Joyce T., Kaestner, R. and Korenman, S. (2000). The stability of pregnancy intentions and pregancy-related maternal behaviors. *Maternal and Child Health Journal* 4(3):171-178.
- (17) Sable, MR, Libbus, MK, Chiu, J. (2000). Factors associated with contraceptive use in women seeking pregnancy tests: Missouri (1997). *Family Planning Perspectives* 32(3):124-131.
- (18) Brown, SS, and Eisenberg, L., eds. (1995). *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC. <a href="http://www.nas.edu">http://www.nas.edu</a>
- (19) Kost, K. and Landry, D., et al. (1998). Predicting maternal behaviors during pregnancy: Does intention status matter? *Family Planning Perspectives* 30(2):79-88.
- (20) Joyce, T., Kaestner, R., and Korenman, S. (2000). The stability of pregnancy intentions and pregnancy-related maternal behaviors. *Maternal and Child Health Journal* 4(3):171-178.
- (21) Brown, S., and Eisenberg, L., Eds. (1995). *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC.
- (22) Wisconsin Department of Health and Family Services, Division of Health Care Financing, Bureau of Health Information (2002). *Reported Induced Abortions in Wisconsin*, 2001.
- (23) National Center for Health Statistics. *Healthy People 2000 Review*, Hyattsville, MD: Public Health Service (1997).
- (24) U.S. Department of Health and Human Services. *Healthy People 2010*. Conference Edition, January 2000.
- (25) Trussel, J.; Levengue, J.; Koenig, J.; London, R.; Borden, S.; Henneberry, J.; LaGuardia, K.; Stewart, F.; Wilson, G.; Wysocki, S.; and, Strauss, M. The Economic Value of Contraception: A Comparison of 15 Methods. *American Journal of Public Health* 85(4):494-503, April 1995.

- (26) Lee, L.R., and Stewart, F.H., Edictorial: Failing to Prevent Unintended Pregnancy is Costly. *American Journal of Public Health* 85(4):479-480, April 1995.
- (27) Maynard, R.A., ed. Kids Have Kids: The Economic and Social Consequences of Teen Pregnancy. *The Costs of Adolescent Childbearing* 10:285-323 (1997).
- (28) Helzner, JF. (2002). Transforming family planning services in the Latin American and Caribbean Region. *Studies in Family Planning* 33(1):49-60.
- (29) Brown, SS., and Eisenberg, L., eds. (1995). *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC. <a href="http://www.nas.edu">http://www.nas.edu</a>.
- (30) Blum, RW. (2002). *Mother's Influence on Teen Sex: Connections that Promote Postponing Sexual Activity*. Center for Adolescent Health and Development. University of Minnesota.
- (31) Brown, SS., and Eisenberg, L., eds. (1995). *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC. <a href="http://www.nas.edu">http://www.nas.edu</a>.
- (32) Wisconsin Department of Health and Family Services. Adolescent Pregnancy Prevention Committee. *Brighter Futures: Wisconsin's Plan to Reduce Teen Pregnancy*.
- (33) Lee, L.R., and Stewart, F.H. Editorial: Failing to Prevent Unintended Pregnancy is Costly. *American Journal of Public Health* 85(4):479-480, April 1995.
- (34) Maynard, R.A., ed. Kids Have Kids: The Economic and Social Consequences of Teen Pregnancy. *The Costs of Adolescent Childbearing* 10:285-323 (1997).
- (35) Joyce, T., Kaestner, R., and Korenman, S. (2000). The stability of pregnancy intentions and pregnancy-related maternal behaviors. *Maternal and Child Health Journal* 4(3):171-178.
- (36) Brown, S., and Eisenberg, L., Eds. (1995). *The Best Intentions*. Committee on Unintended Pregnancy. Division of Health Promotion and Disease Prevention. Institute of Medicine. National Academy Press: Washington DC.
- (37) Coleman E., Hyde, JS, and Ross, MW. Eds. *The Surgeon General's Call to Action to Promote Sexual Health and Responsible Sexual Behavior*, 2001.

Template – Health Priority: High Risk Sexual Behavior - 15 Objective 2